

Maryland Data Cardiac Data Advisory Committee

Background Briefing Materials

Pamela W. Barclay
Director, Center for Hospital Services
Maryland Health Care Commission

December 14, 2010

Briefing Book Overview



Maryland State Cardiac Data Advisory Committee: Briefing Book

Table of Contents

Tab	Description .
1	Maryland Register Notice, Maryland Hospital Enrollment in the ACTION Registry-GWTG (April
	23, 2010)
	Maryland Register Notice, Maryland Hospital Enrollment in the CathPCI Registry (April 23, 2010 Register Notice, Maryland Hospital Enrollment in the CathPCI Registry (April 23, 2010)
	PCI Data Work Group Recommendations (February 3, 2010)
2	COMAR 10.25.04 Hospital Quality and Performance Evaluation System (Effective June 16, 2008)
3	COMAR 10.24.17 State Health Plan for Facilities and Services: Specialized Health Care Services-
	Cardiac Surgery and Percutaneous Coronary Intervention Services (Effective August 10, 2009)
4	MHCC STEMI Registry Data Entry Screens
	MHCC STEMI Data Collection Instructions
<u> </u>	
5	 Maryland Register Notice, Primary PCI Waiver Application and Renewal Schedule (January 4, 2010)
	Summary of Requirements for Primary PCI Programs (Table A-1, COMAR 10.24.17)
	- Summary of resquirements for Finning Por Flograms (1806; Fr. 1, COMPAC 10.24.17)
6	Primary PCI Programs in Hospitals without On-Site Cardiac Surgery: Data Reports (2006, 2007,
	2008, and 2009)
7	COMAR 30.08.16 Maryland Institute for Emergency Medical Services Systems (MIEMSS),
_ ′	Designation of Trauma and Specialty Referral Centers, Cardiac Interventional Standards
	(Effective May 3, 2010)
	 Cardiac Interventional Center Designation Application Procedures and Instructions (2010)
8	ACTION Registry-GWTG V2.1
	ACTION Registry-GWTG V2.1 ACTION Registry-GWTG V2.1 (Limited)
	ACTION Registry-GWTC 2.1.1 Coder's Data Dictionary
	,
9	NCDR CathPCI Registry V 4.3
	NCDR Cath PCI Registry V4.3.1 Coder's Data Dictionary
	 Understanding Risk Adjusted Mortality (RAM) in the CathPCI Registry
10	COMAR 10.24.05 Research Waiver Applications: Atlantic C-PORT Study of Non-Primary PCI
10	(April 11, 2009)
11	
	Study Non-Primary (Elective) PCI Performed in Maryland Hospitals without On-Site Cardiac Surgery (April 13, 2007)
	Surgery (April 13, 2007)
12	Advisory Committee on Outcome Assessment in Cardiovascular Care: Final Report on Interventional
	Cardiology (June 2003)
1	

Primary PCI Data Work Group

Primary PCI Waiver Program (C-PORT)

Non-Primary PCI Research Waiver Program (C-PORT-E)

MHCC Regulations Governing Cardiac Services

ACTION and CathPCI Registries

MIEMSS Designation of Cardiac Interventional Centers

Advisory Committee on Outcome Assessment in Cardiovascular Care (2003)



Request for Public Comment and Stakeholder Input on Alternative Data Collection Approaches



Request Public Comment

 Posted to MHCC Website September 28, 2009; Comments Requested by October 23, 2009

Organizations Submitting Comments

- Adventist HealthCare
- American College of Cardiology (Maryland Chapter)
- American Heart Association
- Anne Arundel Medical Center
- Carroll Hospital Center
- Frederick Memorial Healthcare System
- Holy Cross Hospital
- Johns Hopkins Health System
- MedStar Health
- Maryland Institute for Emergency Medical Services Systems (MIEMSS)
- Peninsula Regional Medical Center
- Southern Maryland Hospital Center
- Society for Cardiovascular Angiography and Interventions
- University of Maryland Medical Center
- Western Maryland Health System



PCI Data Work Group

David Brill, MD

Washington Adventist Hospital

Anastasia Brown, BSN

Director, Quality/ Regulatory Affairs Anne Arundel Medical Center

Nancy Bruce, RN

Director, Cardiovascular Services Frederick Memorial HealthCare System

Dana Farrakhan, FACHE

University of Maryland Medical Center

Pamela Hetrick, RN

Data Analyst Western Maryland Health System

Roger Leonard, MD, FACC

MedStar Health/Montgomery General Hospital

Lisa Myers, RN

Director, Special Programs

Maryland Institute for Emergency Medical
Services Systems

Marica Rabiah Manzoor, RN

Clinical Coordinator, C-PORT-E Holy Cross Hospital

Benjamin Paul

Cardiovascular Data Manager Adventist HealthCare

Jon R. Resar, MD

Associate Professor of Medicine

Johns Hopkins Medical Institutions and University

Jeanne E. Ruff, MS, FAACVPR

Peninsula Regional Medical Center

Sharon Gomes-Sanders, RN

Director, CV & Outpatient Services Carroll Hospital Center

Gail Shults, RN, CCRC

Research Manager Shady Grove Adventist Hospital

Valerie Strickroth

Supervisor, Cardiac Catheterization Laboratory University of Maryland Hospital

Mark A. Turco, MD, FACC, FSCAI

Washington Adventist Hospital/Frederick Memorial Hospital



Maryland Hospitals with Authority to Offer Cardiac Surgery and/or Percutaneous Coronary Intervention (PCI) Services: November 1, 2010

Hospital/Cardiac Program Primary PCI Waiver Hospitals (without on-site cardiac surgery)		Jurisdiction	
2	Baltimore Washington Medical Center*	Anne Arundel County	
3	Carroll Hospital Center	Carroll County	
4	Franklin Square Hospital Center	Baltimore County	
5	Frederick Memorial Hospital*	Frederick County	
6	Holy Cross Hospital**	Montgomery County	
7	Howard County General Hospital	Howard County	
8	Johns Hopkins Bayview Medical Center*	Baltimore City	
9	Saint Agnes Hospital*	Baltimore City	
10	Shady Grove Adventist Hospital*	Montgomery County	
11	Southern Maryland Hospital Center*	Prince George's County	
12	Upper Chesapeake Medical Center	Harford County	
13	Washington County Hospital*	Washington County	
	Cardiac Surgery and PCI Hospitals		
1	Johns Hopkins Hospital	Baltimore City	
2	Peninsula Regional Medical Center	Wicomico County	
3	Prince George's Hospital Center	Prince George's County	
4	St. Joseph Medical Center	Baltimore County	
5	Sinai Hospital of Baltimore	Baltimore City	
6	Suburban Hospital	Montgomery County	
7	Union Memorial Hospital	Baltimore City	
8	University of Maryland Medical Center	Baltimore City	
9	Washington Adventist Hospital	Montgomery County	
10	Western Maryland Regional Medical Center	Alleghany County	

*There are currently eight hospitals with approved research waivers to participate in the non-primary PCI study (i.e., C-PORT-E). **MHCC forwarded Holy Cross Hospital (HCH) a Notice of Relinquishment regarding their research waiver to participate in the non-primary PCI study on October 12, 2010. HCH did not meet the required year 1 annual caseload volume of 100 total PCI cases. On October 22, 2010, HCH acknowledged receipt of the Notice of Relinquishment.

Primary PCI Waiver Program


- Emergency angioplasty for certain AMI patients
- Waiver program initiated by MHCC in 2006 in community hospitals without on-site cardiac surgery
- 2-year waiver renewal cycle
- On-going data collection, reporting, auditing, and feedback reports to ensure compliance and support quality improvement

Non-Primary PCI Research Waiver Program

- Multi-state, controlled clinical trial studying the safety and efficacy of non-primary (elective) angioplasty in hospitals without on-site cardiac surgery
- Time limited (study enrollment expected to be completed in Spring 2011/results in early 2012)
- Results of the study will be used to review and update the State Health Plan policies governing the co-location of PCI and cardiac surgery services



PCI Data Work Group Recommendations



 The Work Group recommends that Maryland adopt the NCDR CathPCI Registry® tool.

This tool should be used by all Maryland hospitals providing primary and/or non-primary angioplasty. The data set collected by the NCDR CathPCI Registry® should be supplemented with additional items based on recommendations from the Cardiac Data Advisory Committee.

Maryland Register Notice, April 23, 2010

All Maryland hospitals with a waiver from MHCC to provide primary PCI services or with a CON issue by MHCC for a cardiac surgery and PCI program are required to enroll in the ACC Foundation's NCDR CathPCI Registry® effective July 1, 2010.


CathPCI Registry Inclusion Population

The CathPCI Registry measures outcomes of adult patients 18 years and over undergoing diagnostic catheterizations and PCIs.



ACTION Registry-GWTG:

Current Site Distribution (Active Sites=621)





PCI Data Work Group Recommendations

ACTION Registry-GWTG	NCDR [®] Acute Coron	ACTION Reg ary Treatment ar				ry				
A. DEMOGRAPHICS										
Last Name ²⁰⁰⁰ : First Name ²⁰¹⁰		Middle Name ²⁰⁰	20.	Birth Date ²⁰⁸						
SSN 2000: ::SSN N/A ²⁰⁰¹ Patient ID ²⁰⁴⁰ :		Other ID ²⁰⁴⁵ :		Sex ²⁰⁶⁰ : O N		emale				
Race: Uhite ²⁰⁷⁰ Black/African An (check all that apply) American Indian/Alaskan Native ²⁰⁷³	nerican ²⁰⁷¹ p Native Hawaiian/Pa	Asian ²⁰⁷² acific Islander ²⁰⁷⁴	Patient Zip C		y ²⁰⁷⁶ : ONo O □ Zip Code N					
B. Admission										
Means of Transport to First Facility ³¹⁰⁰ : O Self/Fam → If Ambulance or Mobile ICU or Air, Pre-Arrival 1s			ICU O Air		Estimated ³¹⁰⁷					
Transferred from Outside Facility ³¹¹⁰ : O No O Yes → If Yes, Arrival at Outside Facility Date/Time ^{3120, 3121} :		f Transfer ³¹¹⁵ : O		O Mobile ICU stimated ³¹²²	O Air					
ightarrow If Yes, Transfer from Outside Facility Date/Ti	me ^{3125, 3126} :		n Time Es	stimated ³¹²⁷						
→ If Yes, Name of Transferring Facility/AHA Nu										
	Admission Date ³²¹⁰		HIC	#3320.		_				
Arrival Date/Time 2000, 2001: Insurance Payors: Private Health Insurance (check all that apply) Private Health Insurance Payors: State-Specific Plan (non-					lilitary Health C	are ³³⁰⁰				
C. CARDIAG STATUS ON FIRST MEDICAL CONTACT										
Symptom Onset Date/Time ^{4000, 4001} :	□ Time	Estimated ⁴⁰⁰²	Time Not Ava	ilable ⁴⁰⁰³						
First ECG Obtained ⁴⁰¹⁰ : O Pre-Hospital (e.g. ambulan	ice) O After 1st hos	sp. arrival First E	ECG Date/Time	e ⁴⁰²⁰ , 4021.		_				
STEMI or STEMI Equivalent 4000. O No. O Ves -> If Ve	or ECG Findings	MO a are 1 11	0.1000		lealated parter					
STEMI or STEMI Equivalent (200: O No O Yes → If Yes, ECG Findings (1040: O ST elevation O LBBB (new or presumed new) O Isolated posterior MI										
	_			r presumed new) O	isolateu poster	ior MI				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with the sequent ECG with th	d ⁴⁰⁴¹ : O First ECG	O Subsequent	ECG		isolated poster	ior MI				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No, Other ECG Findings ⁶⁰⁴¹ : O New or	d ⁴⁰⁴¹ : O First ECG	O Subsequent I Equivalent Date depression	ECG Time ^{4042, 4043} : O New or pres		Wave inversion					
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No, Other ECG Findings ⁶⁰⁴¹ : O New or	d ⁴⁰⁴¹ : O First ECG tth STEMI or STEM presumed new ST on nt ST elevation last	O Subsequent I Equivalent Date depression	ECG ATime ^{4042, 4043} : O New or pres O None		Wave inversion					
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with No. Other ECG Findings 1044: O New or O Transie	d ⁴⁰⁴¹ : O First ECG tth STEMI or STEM presumed new ST on nt ST elevation last	O Subsequent I Equivalent Date depression ng < 20 minutes	ECG ATime ^{4042, 4043} : O New or pres O None	sumed new T-\	Wave inversion	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with 1 or S	d ⁴⁰⁴¹ : O First ECG tth STEMI or STEM presumed new ST on nt ST elevation last (⁴¹¹⁰ : O No O Yes	O Subsequent I Equivalent Date depression ng < 20 minutes	ECG ATime ^{4042, 4043} : O New or pres O None	sumed new T-\	Wave inversion	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with the sequent ECG with the	d ¹⁰⁴¹ : O First ECG th STEMI or STEM presumed new ST on th ST elevation last (4 ¹¹⁰ : O No O Yes	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰	ECG e/Time ^{4042, 4043} . O New or pres O None : (bpm)	sumed new T-\ Systolic BP ⁴¹	Wave inversion	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Subsequent ECG wi	d ⁴⁰⁴¹ : O First ECG th STEMI or STEM presumed new ST on th ST elevation last d ⁴¹¹⁰ : O No O Yes	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ .	ECG O New or pres O None (bpm)	Systolic BP*	Wave inversion	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with No. Other ECG Findings 1004: O New or Otransie Heart Failure 1100: O No O Yes Cardiogenic Shock D. HISTORY AND RISK FACTORS Weight 2010: (kg) Current/Recent Smoker (<1 year) 10000. O O Yes Cardiogenic Shock O O O O O O O O O O O O O O O O O O O	doll: O First ECG th STEMI or STEMI presumed new ST on th ST elevation lasti dilic. O No O Yes No O Yes Di No O Yes Pe	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ rpertension ⁹⁰³⁰ abetes Mellitus ⁵⁰ rripheral Arterial	ECG /Time ^{4042, 4043, 4}	Systolic BP ⁴ O No O No O No	Wave inversion O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with No. Other ECG Findings 1004: O New or Otransie Heart Failure 1100: O No O Yes Cardiogenic Shock D. HISTORY AND RISK FACTORS Weight 2010: (kg) Current/Recent Smoker (<1 year) 10000. O O Yes Cardiogenic Shock O O O O O O O O O O O O O O O O O O O	d ¹⁰⁴¹ : O First ECG th STEMI or STEM presumed new ST I ST elevation last 4110: O No O Yes Hy No O Yes Di No O Yes Pe	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ rpertension ⁹⁰⁰⁰ : abetes Mellitus ⁶⁰¹	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No	Wave inversion O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No, Other ECG Findings ⁶⁰⁴² : O New or O Transie Heart Failure ⁴¹⁰⁰ : O No O Yes Cardiogenic Shock D. History and Risk Factors Weight ⁶⁰⁰¹ : (kg) Current/Recent Smoker (<1 year) ⁶⁰⁰⁰² : O Currently on Dialysis ⁵⁰⁰⁰⁰ : O	d ¹⁰⁴¹ : O First ECG th STEMI or STEM presumed new ST I ST elevation last 4110: O No O Yes Hy No O Yes Di No O Yes Pe	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate pertension pertension some abetes Mellitus ripheral Arterial	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No, Other ECG Findings ⁶⁰⁴ : O New or Official or the State of the St	d ¹⁰⁴¹ : O First ECG th STEMI or STEM presumed new ST I ST elevation last 4110: O No O Yes Hy No O Yes Di No O Yes Pe	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate pertension pertension some abetes Mellitus ripheral Arterial	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No. Other ECG Findings ⁶⁰⁴ : O New or Official or the State of Transie Heart Failure ⁴¹⁰⁰ : O No O Yes Cardiogenic Shock D. History AND RISK FACTORS Weight ⁵⁰¹⁰ : (kg) Current/Recent Smoker (<1 year) ⁵⁰²⁰ : O Currently on Dialysis ⁵⁰⁵⁰ : O J. Discharge Discharge Date ¹¹⁰⁰⁰ :	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST in ST elevation last 4110. O No O Yes Hy No O Yes Di No O Yes Pe Ce →	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴⁷²⁰ rpertension ⁵⁰³⁰ : abetes Mellitus ⁵⁰⁷ ripheral Arterial rebrovascular Di If Yes, Prior Stro	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	ı				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG wi → If No. Other ECG Findings ⁶⁰⁴ : O New or Official or the State of the State of the State of Cardiogenic Shock D. History AND RISK FACTORS Weight ⁵⁰¹⁰ : (kg) Currently on Dialysis ⁵⁰⁰⁰ : O Currently on Dialysis ⁵⁰⁰⁰ : O J. Discharge Date ¹¹⁰⁰⁰ : Comfort Measures Only ¹¹⁰¹⁰ : Comfort Measures Only ¹¹⁰¹⁰ :	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on th ST elevation last 4110; O No O Yes Hy No O Yes Di No O Yes Pe Ca →	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ repertension ⁹⁰³⁰ : abetes Mellitus ⁵⁰¹ ripheral Arterial rebrovascular D If Yes, Prior Stro	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Subsequent ECG with Indian Stems of Indian Indian Stems of Indian Ind	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on th ST elevation last 4110; O No	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ : abetes Mellitus ⁵⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Yes	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with the Subsequen	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on th ST elevation lasti 4110; O No	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ : abetes Mellitus ⁵⁰³ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Yes O Deceased	ECG */Time* ⁶⁴² , 4643. O New or pre: O None (bpm) 70. Disease* ⁵¹⁴⁰ : isease* ⁵¹³⁰ .	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	ı				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with the Subsequen	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on th ST elevation last 4119: O No	O Subsequent I Equivalent Date depression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ . abetes Mellitus ⁵⁰¹ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Yes O Deceased O Yes	ECG O New or pred O None (bpm) To. Disease ⁵¹⁴⁰ : isease ⁵¹³⁰ : ECG Disease ⁵¹³⁰ :	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	1				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Mind of the M	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on ST elevation lasti 4119: O No O Yes No O Yes Di No O Yes Pe Cc → O No O N	O Subsequent I Equivalent Date lepression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ . abetes Mellitus ⁵⁰⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Yes O Deceased O Yes O Yes O Yes O Yes	ECG OTime 642, 4643. O New or pref O None (bpm) 70. Disease 6140. isease 6130. ke 6131.	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	ı				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Subsequent ECG with Indian Stems of Transie Heart Failure ⁴¹⁰⁰ : O No O Yes Cardiogenic Shock D. History AND RISK FACTORS Weight ⁶⁰¹⁰ : (kg) CurrentRecent Smoker (<1 year) ⁵⁰⁰⁰ : O Currently on Dialysis 5000: O J. Discharge Date 10000: Comfort Measures Only 11010. Enrolled in Clinical Trial During Hospitalization 11000: Discharge Status 11100: → If Alive, Smoking Counseling 11101: → If Alive, Exercise Counseling 11101: → If Alive, Cardiac Rehabilitation Referral 11104:	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on ST elevation lasti 4119: O No O Yes No O Yes Di No O Yes Pe Cc → O No O N	O Subsequent I Equivalent Date lepression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰³⁰ . abetes Mellitus ⁵⁰⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Yes O Deceased O Yes O Yes O Yes O Yes	ECG O New or pred O None (bpm) To. Disease ⁵¹⁴⁰ : isease ⁵¹³⁰ : ECG Disease ⁵¹³⁰ :	Systolic BP ⁴ O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes	ı				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Mind of the M	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on First elevation lasti A ¹¹⁹ : O No O Yes No O Yes Di No O Yes Pe CC → O No O N	O Subsequent I Equivalent Date lepression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰⁰⁰ . abetes Mellitus ⁵⁰⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Pes O Yes O Extended careft	ECG OTime 4042, 4043, O New or prer O None (bpm) To: Disease 9140; isease 9130; ke 9131;	Systolic BP ⁴ O No O No O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes O Yes	mmHg)				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with Subsequent ECG with Indian Stems of Transie Heart Failure ⁴¹⁰⁰ : O No O Yes Cardiogenic Shock D. History AND RISK FACTORS Weight ⁶⁰¹⁰ : (kg) CurrentRecent Smoker (<1 year) ⁵⁰⁰⁰ : O Currently on Dialysis 5000: O J. Discharge Date 10000: Comfort Measures Only 11010. Enrolled in Clinical Trial During Hospitalization 11000: Discharge Status 11100: → If Alive, Smoking Counseling 11101: → If Alive, Exercise Counseling 11101: → If Alive, Cardiac Rehabilitation Referral 11104:	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on presumed new ST on A ¹¹⁹ : O No O Yes No O Yes Di No O Yes Pe Cc → O No	O Subsequent I Equivalent Date lepression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰⁰⁰ . abetes Mellitus ⁵⁰⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Pes O Yes O Extended careft	ECG OTime 4042, 4043, O New or prer O None (bpm) To: Disease 9140; isease 9130; ke 9131;	Systolic BP ⁴ O No O No O No O No O No O No	Wave inversion O Yes	nmHg)				
→ If Yes, STEMI or STEMI Equivalent First Note → If Subsequent ECG, Subsequent ECG with No. Other ECG Findings 1004. → If No. Other ECG Findings 1006. Heart Failure 1100. O No O Yes Cardiogenic Shock D. History AND RISK FACTORS Weight 2010. Weight 2010. (kg) Currently Recent Smoker (<1 year) 1000. Currently on Dialysis 1000. O Discharge Date 11000. J. Discharge Date 11000. Comfort Measures Only 11010. Enrolled in Clinical Trial During Hospitalization 11000. → If Alive, Smoking Counseling 11101. → If Alive, Cardiac Rehabilitation Referral 11104. → If Alive, Discharge Location 11105.	d ⁰⁴¹ : O First EOG th STEMI or STEM presumed new ST on ST elevation last 4110. O No O Yes No O Yes Di No O Yes Pe Ce → O No O N	O Subsequent I Equivalent Date lepression ng < 20 minutes Heart Rate ⁴¹²⁰ pertension ⁹⁰⁰⁰ . abetes Mellitus ⁵⁰⁰ ripheral Arterial rebrovascular D If Yes, Prior Stro O Yes O Pes O Yes O Extended careft	ECG OTime 4042, 4043, O New or prer O None (bpm) To: Disease 9140; isease 9130; ke 9131;	Systolic BP ⁴ O No O No O No O No O No O No	Wave inversion O Yes O Yes O Yes O Yes O Yes O Yes	rmHg)				

The Work Group recommends that Maryland adopt the ACTION Registry®-GWTG™ tool.

This tool should be used by all Maryland hospitals providing primary angioplasty that seek designation by the Maryland Institute for Emergency Medical Services Systems (MIEMSS) as a Cardiac Interventional Center. Based on experience with these hospitals, the Cardiac Data Advisory Committee should explore use of the ACTION Registry®-GWTG™ tool to support quality improvement efforts for all AMI patients.

Maryland Register Notice, April 23, 2010

All Maryland hospitals with a waiver from MHCC to provide primary PCI services or with a CON issue by MHCC for a cardiac surgery and PCI program are required to enroll in the ACC Foundation's NCDR ACTION Registry –GWT effective July 1, 2010.

ACTION Registry Inclusion Population

Patients admitted within 24 hours of acute ischemic symptoms typically reflected by a diagnosis of STEMI or NSTEMI.



Performance Requirements for a Primary (Emergency) Angioplasty Program

Institutional Resources

- -24/7
- Effective January 1, 2010, provide primary angioplasty as soon as possible and not to exceed 90 minutes from patient arrival for 75% of appropriate patients
- Formal, written agreement for patient transfer
- Other

Physician Resources

- ACC/AHA criteria for competency of 75+ total angioplasty cases per year
- Participation in on-call schedule

Initiation of a New Primary Angioplasty Center Program

- MHCC application process to review requests submitted by hospitals seeking approval to provide primary angioplasty services without on-site cardiac surgery
- Minimum of 60-65 and optimally 85-90 acute ST-segment elevation MI's annually
- Development program (standards, staff training, logistics plan, and quality and error management program)

Volume-Quality Relationship for Primary Angioplasty


Minimum of 36 (rural areas) and optimally 49 (metropolitan areas) cases

On-Going Quality Assessment

 Develop uniform data set to be collected and analyzed from all hospitals in Maryland offering primary angioplasty services.



Primary PCI Median Door-to-Balloon Times (in minutes): Maryland Hospitals Without On-Site Cardiac Surgery, 2006-2009





Hospital Performance Evaluation Guide



Existing Cardiac Quality Measures

- AMI Process of Care Measures
 - Aspirin Prescribed at Arrival
 - Aspirin Prescribed at Discharge
 - Angiotensin Converting Enzyme (ACE) or Angiotensin Receptor Blocker (ARB) for Left Ventricular Systolic Dysfunction
 - Adult Smoking Cessation Advice/Counseling
 - Beta Blocker Prescribed at Discharge
- Heart Failure Process of Care Measures
 - Discharge Instructions
 - Evaluation of Left Ventricular Systolic (LVS)
 Function
 - Angiotension Converting Enzyme (ACE) or Angiotensin Receptor Blocker (ARB) for Left Ventricular Systolic Dysfunction
 - Adult Smoking Cessation Advice/Counseling
- Risk-Adjusted Outcome Measures
 - AMI 30-day Mortality Rate
 - Heart Failure 30-day Mortality Rate



Maryland State Cardiac Data Advisory Committee: Stakeholder Organizations Invited to Submit Nominations

- American College of Cardiology-Maryland Chapter
- American Heart Association-Mid-Atlantic
- Department of Health and Mental Hygiene
- Maryland Hospital Association
- Maryland Institute for Emergency Medical Services Systems
- The Society for Cardiovascular Angiography and Interventions



Maryland State Cardiac Data Advisory Committee: Roles and Responsibilities

- •Support the development of a STEMI system for Maryland by providing timely data on all components of the system;
- Review and recommend any required changes to the data set, as the data collection and reporting process evolves, or as changes are made, for example, to the requirements for the primary PCI waiver;
- •Establish and report on a common set of process and risk-adjusted outcome measures (taking into consideration hospital and patient characteristics) for PCI services as part of the Maryland Hospital Performance Evaluation Guide
- •Provide advice on data collection methods, reporting, risk-adjustment, and auditing processes to facilitate quality improvement;
- •Study and develop mechanisms to promote sharing of information for transferred patients and for patients using emergency medical service providers;
- •Support statewide planning for specialized cardiac care services, including cardiac surgery and PCI services;
- •Establish subcommittees to focus on specific topics identified for further research and analysis; and
- Facilitate quality improvement initiatives for Maryland cardiac patients.

Questions



"We'll widen the clogged artery by inserting a balloon."